







GROUND FLOOR PLAN
SCALE: 1/8"=1'




SECTION AT AA
SCALE: 1/8"=1'




KEY PLAN
(SCALE: N.T.S.)




R.W.H.T. SCHEME
SCALE: N.T.S.




GROUND FLOOR BLOCK/SITE PLAN
SCALE: 1"=8'



GROUND FLOOR PLAN
SCALE: 1/8"=1'




FIRST FLOOR PLAN
SCALE: 1/8"=1'



MUMTY FLOOR PLAN
SCALE: 1/8"=1'




GROUND FLOOR BLOCK PLAN
SCALE: 1/8"=1'




FIRST FLOOR BLOCK PLAN
SCALE: 1/8"=1'




MUMTY BLOCK PLAN
SCALE: 1/8"=1'




GATE & BOUNDARY WALL DETAIL
SCALE: 1"=8'




RAMP DETAIL B-B
SCALE: 1"=8'




DETAIL OF OVER HEAD
WATER TANK
SCALE: 1/4"=1'




DETAIL OF R.W.H.
WATER TANK
SCALE: 1/4"=1'




DETAIL OF UNDER GROUND
WATER TANK
SCALE: 1/4"=1'




DETAIL OF SEPTIC TANK
SCALE: 1/4"=1'




SECTION OF FOOTING (WF-1)



SECTION OF FOOTING (WF-2)



SECTION 1-1




SECTION OF FOOTING (F-1)
SCALE: N.T.S.




SECTION OF COL (C-1)




SECTION OF COL (C-2)



DETAIL OF STAIRS (TYP.)
SCALE: N.T.S.



SLAB REINFORCEMENT
(SCALE: N.T.S.)



SECTION OF FOOTING (WF-3)
SCALE: N.T.S.

SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	8'-0"X6'-0"	5	D1	4'-0"X7'-0"
2	W2	6'-0"X6'-0"	6	D2	3'-6"X7'-0"
3	W3	4'-0"X4'-0"	7	D3	3'-0"X7'-0"
4	W4	2'-1 1/2"X6'-0"	8	D4	2'-6"X7'-0"
			9	V1	3'-0"X2'-0"
			10	V2	2'-0"X2'-0"

SCHEDULE OF AREA

AREA OF PLOT ----- = 1,250 SFT

COVERED AREA OF GROUND FLOOR ----- = 990.00 Sft

COVERED AREA OF FIRST FLOOR ----- = 990.00 Sft

COVERED AREA OF MUMTY FLOOR ----- = 191.00 Sft

NET COVERED AREA ----- = 2,171.00 Sft

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2" Ø	4"	3/8" Ø	6"	6"
S - 2	1/2" Ø	5"	3/8" Ø	8"	6"
S - 3	1/2" Ø	6"	3/8" Ø	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE
1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines
will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Connection

STRUCTURE ENGINEER

ARCHITECT

SCALE

AS SHOWN


ORIENTATION

SUMMER WIND
DIRECTION
WINTER WIND
DIRECTION




TITLE


APPROVAL




FRONT ELEVATION
SCALE : 1" = 8'-0"




SECTION AT AA
SCALE : 1" = 8'-0"




KEY PLAN
(SCALE: N.T.S.)




GROUND FLOOR BLOCK/SITE PLAN
SCALE 1"=8"




GROUND FLOOR PLAN
SCALE 1/8"=1'





FIRST FLOOR PLAN
SCALE 1/8"=1'




MUMTY FLOOR PLAN
SCALE 1/8"=1'




DETAIL OF
COUNSELED BEAM




R.W.H.T. SCHEME
SCALE=N.T.S




X. SECTION OF BEAM




GATE & BOUNDARY WALL DETAIL
SCALE 1"=8"




RAMP DETAIL B-B
SCALE 1"=8"




X. SECTION OF LINTEL BEAM DETAIL
FOR 9" WALL & 4/8" WALL




PLAN OF SEPTIC TANK
SCALE -N.T.S




SECTION AT X-X
SCALE -N.T.S



U.GROUND WATER TANK
SCALE -N.T.S



O.H WATER TANK
SCALE -N.T.S



FOUNDATION DETAIL
SCALE -N.T.S

SCHEDULE OF OPENING					
S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	6'-0"X6'-0"	5	D1	4'-0"X7'-0"
2	W2	7'-0"X6'-0"	6	D2	3'-6"X7'-0"
3	W3	4'-0"X6'-0"	7	D3	2'-6"X7'-0"
4	W4	3'-0"X4'-0"	8	V	3'-0"X2'-0"

SCHEDULE OF AREA					
AREA OF PLOT					= 1,250 SFT
COVERED AREA OF GROUND FLOOR					=1,000.0 Sft
COVERED AREA OF FIRST FLOOR					=1,000.00 Sft
COVERED AREA OF MUMTY FLOOR					=129.00 Sft
NET COVERED AREA					= 2,129.00 Sft

SCHEDULE OF R.C.C SLAB					
SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2"Ø	4"	3/8"Ø	6"	6"
S - 2	1/2"Ø	5"	3/8"Ø	8"	6"
S - 3	1/2"Ø	6"	3/8"Ø	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE
1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Conection



STRUCTURE ENGINEER	ARCHITECT
--------------------	-----------

SCALE AS SHOWN





ORIENTATION
SUMMER WIND DIRECTION
WINTER WIND DIRECTION

TITLE







APPROVAL



KEY PLAN



RAIN WATER SCHEME SCALE: NTS



SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	8'-0"X6'-0"	7	D1	3'-6"X7'-0"
2	W2	3'-6"X6'-0"	8	D2	3'-0"X7'-0"
3	W3	4'-6"X4'-0"	9	D3	2'-6"X7'-0"
4	W4	7'-0"X6'-0"	10	V1	2'-0"X2'-0"
5	W5	3'-9"X5'X6"			
6	W6	2'-0"X6'-0"			

SCHEDULE OF AREA

AREA OF PLOT	= 1,250 SFT
COVERED AREA OF GROUND FLOOR	= 893.00 Sft
COVERED AREA OF FIRST FLOOR	= 867.00 Sft
COVERED AREA OF MUMTY FLOOR	= 172.00 Sft
NET COVERED AREA	= 1,932.0 Sft

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2"Ø	4"	3/8"Ø	6"	6"
S - 2	1/2"Ø	5"	3/8"Ø	8"	6"
S - 3	1/2"Ø	6"	3/8"Ø	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE
1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Conection

STRUCTURE ENGINEER


ARCHITECT

SCALE

AS SHOWN


ORIENTATION

SUMMER WIND DIRECTION
WINTER WIND DIRECTION



TITLE

APPROVAL




MR-02

1913


PLOT 1914

STREET # 73

KEY PLAN




RAIN WATER SCHEME
SCALE: N.T.S



FIRST FLOOR BLOCK PLAN
SCALE 1"=16"



MUMTY BLOCK PLAN
SCALE 1"=16"



SITE & GROUND FLOOR BLOCK PLAN
SCALE 1"=16"

SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	8'-0"X6'-0"	7	D1	3'-6"X7'-0"
2	W2	3'-6"X6'-0"	8	D2	3'-0"X7'-0"
3	W3	4'-6"X4'-0"	9	D3	2'-6"X7'-0"
4	V1	2'-0"X2'-0"	10		
5					

SCHEDULE OF AREA

AREA OF PLOT	= 1,250 SFT
COVERED AREA OF GROUND FLOOR	=980.00 Sft
COVERED AREA OF FIRST FLOOR	=858.5 Sft
COVERED AREA OF MUMTY FLOOR	=172.00 Sft
NET COVERED AREA	=2,010.5 Sft

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2"Ø	4"	3/8"Ø	6"	6"
S - 2	1/2"Ø	5"	3/8"Ø	8"	6"
S - 3	1/2"Ø	6"	3/8"Ø	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE
1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines
will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Conection

STRUCTURE ENGINEER


ARCHITECT

SCALE

AS SHOWN


ORIENTATION

SUMMER WIND
DIRECTION
WINTER WIND
DIRECTION




TITLE


APPROVAL




GROUND FLOOR PLAN
SCALE 1"=8"




FIRST FLOOR PLAN
SCALE 1"=8"




MUMTY FLOOR PLAN
SCALE 1"=8"




GATE & BOUNDARY WALL DETAIL
SCALE 1"=8"




PLAN OF SEPTIC TANK
SCALE =N.T.S




X. SECTION OF BEAM
SCALE 1"=8"




FOUNDATION DETAIL
SCALE =N.T.S



U.GROUND WATER TANK
SCALE =N.T.S



O.H WATER TANK
SCALE =N.T.S




FRONT ELEVATION


SCALE : 1" = 8'-0"

SECTION AT AA


SCALE : 1" = 8'-0"




STREET NO. 19




R.W.H.T SCHEME
SCALE:N.T.S




GROUND FLOOR BLOCK/SITE PLAN
SCALE 1"=8"




GROUND FLOOR PLAN
SCALE:1/8"=1"




FIRST FLOOR PLAN
SCALE:1/8"=1"




GROUND FLOOR BLOCK PLAN
SCALE 1"=16"




FIRST FLOOR BLOCK PLAN
SCALE 1"=16"




GATE & BOUNDARY WALL DETAIL
SCALE 1"=8"




RAMP DETAIL B-B
SCALE 1"=8"




SECTION OF FOOTING (WF-1)
SCALE:N.T.S




SECTION OF FOOTING (WF-2)
SCALE:N.T.S




SLAB REINFORCEMENT
(SCALE: N.T.S.)




SECTION 1-1
SCALE:N.T.S




SECTION OF FOOTING (F-1)
SCALE:N.T.S




DETAIL OF OVER HEAD
WATER TANK
SCALE:1/4"=1"




DETAIL OF R.W.H
WATER TANK
SCALE:1/4"=1"




DETAIL OF UNDER GROUND
WATER TANK
SCALE:1/4"=1"




DETAIL OF SEPTIC TANK
SCALE:1/4"=1"



SECTION OF COL (C-1)
SECTION OF COL (C-2)
SCALE:N.T.S



DETAIL OF STAIRS(TYP.)
SCALE: N.T.S



SECTION OF FOOTING (WF-3)
SCALE:N.T.S

SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	8'-0"X6'-0"	6	D1	4'-6"X7'-0"
2	W2	2'-6"X6'-0"	7	D2	3'-6"X7'-0"
3	W3	3'-1"X4'-0"	8	D3	2'-6"X7'-0"
4	W4	2'-9"X6'-0"	9	V1	2'-0"X2'-0"
5	W5	2'X4'X6'-0"			

SCHEDULE OF AREA

AREA OF PLOT ----- = 1,250 SFT

COVERED AREA OF GROUND FLOOR -----=988.00 Sft

COVERED AREA OF FIRST FLOOR -----=988.00 Sft

NET COVERED AREA ----- = 1,976.00 Sft

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2" Ø	4"	3/8" Ø	6"	6"
S - 2	1/2" Ø	5"	3/8" Ø	8"	6"
S - 3	1/2" Ø	6"	3/8" Ø	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE
1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines
will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Connection

STRUCTURE ENGINEER


ARCHITECT

SCALE

AS SHOWN

ORIENTATION

SUMMER WIND
DIRECTION
WINTER WIND
DIRECTION



TITLE

APPROVAL