







FRONT ELEVATION
SCALE 1/8" = 1'-0"



SECTION AT (A-A)
SCALE 1/8" = 1'-0"



KEY PLAN
SCALE N.T.S



SITE PLAN
SCALE 1/16" = 1'-0"

SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	6'-0"X5'-0"	5	D1	4'-6"X7'-0"
2	W2	5'-0"X5'-0"	6	D2	3'-6"X7'-0"
3	W3	2'-0"X5'-0"	7	D3	3'-0"X7'-0"
4	V	2'-6"X1'-6"	8	D4	2'-6"X7'-0"

SCHEDULE OF AREA

AREA OF PLOT ----- = 1250.00 SFT
COVERED AREA OF GROUND FLOOR -----1046.22 SFT
COVERED AREA OF FIRST FLOOR -----1046.22 SFT
COVERED AREA OF MUMTY FLOOR ----- 128.25 SFT
NET COVERED AREA -----2220.69 SFT

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2"	4"	3/8"	6"	6"
S - 2	1/2"	5"	3/8"	8"	6"
S - 3	1/2"	6"	3/8"	9"	6"

OWNER'S NAME & SIGNATURE

CERTIFICATE

1-Soundness and Stability of the structure is Certified.
2-Certified that all the sewerage and water storm lines will be effectively connected to the main lines.
3- 3/4" Ø Water Connection required For Water Conection

STRUCTURE ENGINEER

ARCHITECT

SCALE

AS SHOWN


ORIENTATION

SUMMER WIND DIRECTION
WINTER WIND DIRECTION




TITLE


APPROVAL




GROUND FLOOR PLAN
SCALE 1/8" = 1'-0"




FIRST FLOOR PLAN
SCALE 1/8" = 1'-0"




MUMTY FLOOR PLAN
SCALE 1/8" = 1'-0"




PLAN OF SEPTIC TANK
SCALE 1" = 4'-0"




SECTION AT X-X
SCALE 1" = 4'-0"




MUMTY FLOOR BLOCK PLAN
SCALE 1/16" = 1'-0"




GROUND FLOOR BLOCK PLAN
SCALE 1/16" = 1'-0"




FIRST FLOOR BLOCK PLAN
SCALE 1/16" = 1'-0"




GATE & BOUNDARY WALL DETAIL
SCALE 1" = 8"




RAMP DETAIL B-B
SCALE 1" = 8"




SEC OF COUNSELED BEAM




X. SECTION OF BEAM



O-H-W- TANK
SCALE=1"=1/4"



U.G.W TANK
SCALE 1" = 4'-0"



FOUNDATION DETAIL
SCALE 1" = 4'-0"