







FRONT ELEVATION
Scale 1/8"=1'-0"




SECTION AT A-A
Scale 1/8"=1'-0"




KEY PLAN
Scale: NTS




SITE PLAN
SCALE 1/16"=1'-0"




GROUND FLOOR PLAN
SCALE : 1/8"=1'-0"





FIRST FLOOR PLAN
SCALE : 1/8"=1'-0"




MUMTY FLOOR PLAN
SCALE : 1/8"=1'-0"




RAIN WATER SCHEME
SCALE = NTS




MUMTY FLOOR
BLOCK PLAN
SCALE 1/16"=1'-0"




DETAIL OF DISPOSAL
7'-0"X4'-0"X5'-0"




GROUND FLOOR
BLOCK PLAN
SCALE 1/16"=1'-0"




FIRST FLOOR
BLOCK PLAN
SCALE 1/16"=1'-0"




GATE & BOUNDARY WALL DETAIL
SCALE: 1/8"=1'-0"




RAMP DETAIL B-B
SCALE: 1/8"=1'-0"




X-SEC. OF EDGE / CORNER SLAB




X-SEC. OF INTERIOR SLAB



DETAIL OF OVERHEAD WATER TANK
5'-10" X 6'-7" X 5'-0"



DETAIL OF UNDER GROUND WATER TANK
5'-0" X 5'-0" X 6'-0"



DETAIL OF FOUNDATIONS
SCALE: NTS

SCHEDULE OF OPENING

S.NO.	TYPE	SIZE	S.NO.	TYPE	SIZE
1	W1	7'-0"X5'-0"	5	W4	4'-0"X5'-0"
2	W2	6'-0"X5'-0"	6	D1	4'-6"X7'-0"
3	W3	5'-0"X5'-0"	7	D2	3'-6"X7'-0"
4	V	2'-6"X1'-6"	8	D3	3'-0"X7'-0"
5	V-1	5'-0"X1'-6"	8	D4	2'-6"X7'-0"

SCHEDULE OF AREA

TOTAL AREA OF PLOT	=1800.00 SFT
COVERED AREA OF GROUND FLOOR	=1349.0 SFT
COVERED AREA OF FIRST FLOOR	=1349.0 SFT
COVERED AREA OF MUMTTY FLOOR	=295.25 SFT
NET COVERED AREA	=2993.25 SFT

SCHEDULE OF R.C.C SLAB

SLAB	MAIN BARS		DISTRIBUTION BARS		THICKNES
	DIA	DISTANCE	DIA	DISTANCE	
S - 1	1/2"	4"	3/8"	6"	6"
S - 2	1/2"	5"	3/8"	8"	6"
S - 3	1/2"	6"	3/8"	9"	6"

OWNER'S NAME & SIGNATURE

ARCHITECT

STRUCTURE ENGINEER

CERTIFICATE

- 1-Soundness and Stability of the structure is Certified.
- 2-Certified that all the sewerage and water storm lines will be effectively connected to the main lines.
- 3- 3/4" Ø Water Connection required For Water Conection

SCALE

AS SHOWN

ORIENTATION

SUMMER WIND DIRECTION

WINTER WIND DIRECTION



TITLE

APPROVAL